

U.S. Department of Energy


Office of River Protection

P.O. Box 450, MSIN H6-60 Richland, Washington 99352 0071766

06-ESQ-170

NOV 22 2006

Administrator
U.S. Environmental Protection Agency
Region 10
Attn: Mr. S. E. Downey
Manager of Pesticides and Toxic Unit
1200 Sixth Avenue, ECO-084
Seattle, Washington 98101



EDMC

Dear Mr. Downey:

REQUEST FOR POLYCHLORINATED BIPHENYL RISK ASSESSMENT FOR THE MOBILIZATION OF SINGLE-SHELL TANK SOLID WASTE APPROVAL CONDITION CHANGE REQUEST FOR 241-C-102, 241-C-104, 241-C-107, 241-C-108, AND 241-C-112

Reference:

EPA letter from M. A. Bussell to R. J. Schepens, ORP, "Approval of the Toxic Substance Control Act (TSCA) Risked-based Disposal Approval (RBDA) Application for the Mobilization of Single-Shell Tank Solid Waste Using Double-Shell Tank Supernate – Phase II Approval for Tanks 241-C-102, 241-C-104, 241-C-107, 241-C-108 and 241-C-112 and Amended Phase II Approval Conditions for Tanks 241-C-103/109," dated June 1, 2006.

The U.S. Department of Energy (DOE), Office of River Protection in accordance with Condition 8 of Reference 1 is requesting a change to the schedule specified in the C-102 Series Phase II conditions. The specific Phase II condition we would like changed is Condition 3 which requires a formal waste compatibility assessment. DOE would like an extension to the date to 7 days, rather than the current 5, as indicated in the 30 day schedule. This change in Condition 3 is necessary to ensure the information related to source and/or receiving tank information provided in the Waste Compatibility Assessment are current at the time of retrieval.

If you have any questions, please contact me, or your staff may contact Mary Beth Burandt, Office of Environmental Safety and Quality, (509) 372-7772.

Sincerely,

Roy J. Schepens, Manager

Office of River Protection

ESQ:MEB

cc: See page 2

cc: L. E. Borneman, CH2M HILL
T. L. Faust, CH2M HILL
D. Bartus, EPA
D. Duncan, EPA
Administrative Record

CH2M HILL Correspondence